

Striping Item Usage Guidelines – Projects Using 2001 Standard Specifications

Temporary Pavement Markings		
Marking Description	Hot-Mix Surface	Concrete Surface
<p>Temporary Pavement Markings</p> <p>Preferred material for this usage is paint.</p>	<p>748019 – Temporary Markings, Paint, 4" (LF) 748026 – Temporary Markings, Paint, Symbol/Legend (SF)</p>	<p>748019 – Temporary Markings, Paint, 4" (LF) 748026 – Temporary Markings, Paint, Symbol/Legend (SF)</p>
<p>Temporary Pavement Markings</p> <p>Tape is to be used when temporary markings are placed on final hot-mix surface, but are not in the final marking configuration. May also be used on concrete surfaces.</p>	<p>748525 – Temporary Markings, Tape, 4" (LF) 748527 – Temporary Markings, Tape, Words/Symbol (SF)</p>	<p>748525 – Temporary Markings, Tape, 4" (LF) 748527 – Temporary Markings, Tape, Words/Symbol (SF)</p>
<p>Blackout Tape</p> <p>Used to temporarily cover 4" or 5" markings as part of an MOT phase. Tape must be approximately the same color as the pavement surface.</p>	<p>748518 – Blackout Tape, 6" (LF)</p>	<p>Blackout tape shall not be used on concrete roadways to cover existing markings.</p>
<p>Blackout Tape</p> <p>Used to temporarily cover 6" markings as part of an MOT phase. Tape must be approximately the same color as the pavement surface.</p>	<p>748528 – Blackout Tape, 8" (LF)</p>	<p>Blackout tape shall not be used on concrete roadways to cover existing markings.</p>

Striping Item Usage Guidelines – Projects Using 2001 Standard Specifications

Permanent Pavement Markings – Conventional Roads		
Marking Description	Hot-Mix Surface	Concrete Surface
Arrows	748015 – Permanent Pavement Striping, Symbol/Legend, Alkyd-Thermoplastic (SF)	748529 – Retroreflective Preformed Patterned Markings, Symbol/Legend (Tape) (SF)
Center Line	748548 – Permanent Pavement Striping, Epoxy Resin Paint, Yellow, 5" (LF)	748548 – Permanent Pavement Striping, Epoxy Resin Paint, Yellow, 5" (LF)
Channelizing Line (Gore Areas)	748549 – Permanent Pavement Striping, Epoxy Resin, White, 10" (LF)	748549 – Permanent Pavement Striping, Epoxy Resin, White, 10" (LF)
Chevron and Crosshatch	748027 – Permanent Pavement Striping, Alkyd-Thermoplastic, 12" (LF)	748513 – Retroreflective Preformed Patterned Markings, 12" (Tape) (LF)
Crosswalks	748015 – Permanent Pavement Striping, Symbol/Legend, Alkyd-Thermoplastic (SF)	748529 – Retroreflective Preformed Patterned Markings, Symbol/Legend (Tape) (SF)
Edge Line (Normal Width)	748548 – Permanent Pavement Striping, Epoxy Resin Paint, White/Yellow, 5" (LF)	748548 – Permanent Pavement Striping, Epoxy Resin Paint, White/Yellow, 5" (LF) and 748557 – Permanent Pavement Striping, Epoxy Resin Paint, Black, 3" (Along left-hand side of white line only; closest to traffic) (LF)
Stop Lines	748015 – Permanent Pavement Striping, Symbol/Legend, Alkyd-Thermoplastic (SF)	748529 – Retroreflective Preformed Patterned Markings, Symbol/Legend (Tape) (SF)
Symbol – Bike (Includes Arrow)	748553 – Preformed Retroreflective Thermoplastic Pavement Markings, Bike Symbol (EACH)	748529 – Retroreflective Preformed Patterned Markings, Symbol/Legend (Tape) (SF)
Symbol - Handicap	748555 – Preformed Retroreflective Thermoplastic Pavement Markings, Handicap Symbol (EACH)	748529 – Retroreflective Preformed Patterned Markings, Symbol/Legend (Tape) (SF)

Striping Item Usage Guidelines – Projects Using 2001 Standard Specifications

Permanent Pavement Markings – Conventional Roads		
Marking Description	Hot-Mix Surface	Concrete Surface
Symbol - Pedestrian	748554 – Preformed Retroreflective Thermoplastic Pavement Markings, Pedestrian Symbol (EACH)	748529 – Retroreflective Preformed Patterned Markings, Symbol/Legend (Tape) (SF)
2' Line / 6' Gap Dotted Pattern (Except Turning Tracks)	748548 – Permanent Pavement Striping, Epoxy Resin Paint, White, 5" (LF)	748548 – Permanent Pavement Striping, Epoxy Resin Paint, White, 5" (LF) and 748568 – Permanent Pavement Striping, Epoxy Resin Paint, Black, 9" (Under 2' White Line) (LF)
2' Line / 6' Gap Dotted Pattern (Ramps and Lane Drops)	748549 – Permanent Pavement Striping, Epoxy Resin, White, 10" (LF)	748549 – Permanent Pavement Striping, Epoxy Resin, White, 10" (LF) and 748569 – Permanent Pavement Striping, Epoxy Resin Paint, Black, 14" (Under 2' White Line) (LF)
2' Line / 6' Gap Dotted Pattern (Turning Tracks)	748033 – Permanent Pavement Striping, Alkyd-Thermoplastic, 5" (LF)	748566 – Retroreflective Preformed Patterned Contrast Markings, 8" (Tape) (Item includes both white and black markings) (LF)
10' Line / 30' Gap Broken Pattern	748548 – Permanent Pavement Striping, Epoxy Resin Paint, White/Yellow, 5" (LF)	748548 – Permanent Pavement Striping, Epoxy Resin Paint, White/Yellow, 5" (LF) and 748559 – Permanent Pavement Striping, Epoxy Resin Paint, Black, 5" (In advance of 10' White Line Only) (LF)

Striping Item Usage Guidelines – Projects Using 2001 Standard Specifications

Permanent Pavement Markings – Interstates, Expressways and Freeways		
Marking Description	Hot-Mix Surface	Concrete Surface
Arrows	748015 – Permanent Pavement Striping, Symbol/Legend, Alkyd-Thermoplastic (SF)	748529 – Retroreflective Preformed Patterned Markings, Symbol/Legend (Tape) (SF)
Channelizing Line (Gore Areas)	748549 – Permanent Pavement Striping, Epoxy Resin, White, 10" (LF)	748549 – Permanent Pavement Striping, Epoxy Resin, White, 10" (LF)
Chevron and Crosshatch	748027 – Permanent Pavement Striping, Alkyd-Thermoplastic, 12" (LF)	748513 – Retroreflective Preformed Patterned Markings, 12" (Tape) (LF)
Edge Lines - Left and Right (Normal Width)	748548 – Permanent Pavement Striping, Epoxy Resin Paint, White/Yellow, 5" (LF)	748548 – Permanent Pavement Striping, Epoxy Resin Paint, White/Yellow, 5" (LF) and 748557 – Permanent Pavement Striping, Epoxy Resin Paint, Black, 3" (Along left-hand side of white line only; closest to traffic) (LF)
3' Line / 9' Gap Dotted Pattern (Lane Reductions Only)	748564 – Retroreflective Preformed Patterned Markings, 5" (Tape) (For inlaid applications only) (LF)	748566 – Retroreflective Preformed Patterned Contrast Markings, 8" (Tape) (Item includes both white and black markings) (LF)

Striping Item Usage Guidelines – Projects Using 2001 Standard Specifications

Permanent Pavement Markings – Interstates, Expressways and Freeways		
Marking Description	Hot-Mix Surface	Concrete Surface
3' Line / 9' Gap Dotted Pattern (Ramps)	748565 – Retroreflective Preformed Patterned Markings, 10" (Tape) (For inlaid applications only) (LF)	748567 – Retroreflective Preformed Patterned Contrast Markings, 13" (Tape) (Item includes both white and black markings) (LF)
10' Line / 30' Gap Broken Pattern	748564 – Retroreflective Preformed Patterned Markings, 5" (Tape) (For inlaid applications only) (LF)	748566 – Retroreflective Preformed Patterned Contrast Markings, 8" (Tape) (Item includes both white and black markings) (LF)